




GENISO 60- 2X2

divinity lights





Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +
SDCM<3

Micro Prismatic Diffuser

L70 @ 50,000h

Aluminium



Types

Pendant/ Recessed

Single Line Diagram

Pendant

Recessed



GENISO 60- 2X2

This strip light features:


- 2 x 2 feet led Panel
- Aluminium Luminaire Housing
- Premium Finish Powder coating
- High performance Prismatic double diffuser
- Glare free & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance
- Pendant with cable suspension with quick mounting system

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

GENISO 60- 2X2



GENISO 60- 2X2

System Power	Dimension
25W	LXW = 595mmX 595mm, H = 30mm
30W	LXW = 595mmX 595mm, H = 30mm
35W	LXW = 595mmX 595mm, H = 30mm

Order Options

Distribution

Direct

CCT (Color Temperature)

3000K
4000K
5700K
Tunable 2700K-6500K



CRI

>90

Beam Angle

100°

Control

ON-OFF
ON-OFF (FLICKER FREE)
DALI-2 DT6
DALI-2 DT8
DALI +



Mounting Type

Pendant
Surface
Recessed

Material Color

RAL As Per Request

Photometric

LUMINOUS INTENSITY DISTRIBUTION

