


GENISO 95 2x2

divinity lights



divinity lights

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Micro Prismatic Diffuser



L70 @ 50,000h

Aluminium

Types

Pendant/ Surface/ Recessed

Single Line Diagram



GENISO 95 2x2

Geniso 95 2x2 fixture has:


- 2 x 2 feet led Panel
- Aluminium Luminaire Housing
- Premium Finish Powder coating
- High performance Prismatic double diffuser
- Glare free & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance
- Pendant with cable suspension with quick mounting system

Colours

RAL as per request

Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

GENISO 95 2x2



GENISO 95 2x2

System Power	Dimensions
25W	LXW-595mmX595mm
30W	LXW-595mmX595mm
35W	LXW-595mmX595mm

Order Options

Distribution

Direct


CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

110°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI +



Mounting Type

Pendant

Surface

Recessed

Material Colour

RAL as per request

LUMINOUS INTENSITY DISTRIBUTION

