

AHWAL
POLE LIGHT

divinity lights





Quick Info

CRI ≥ 90

2700K, 3000K, 4000K

Up to 85 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Lens



L70 @50,000h

Aluminium Die-Cast

Type

Pole Mounted

Single Line Diagram




AHWAL POLE LIGHT

AHWAL POLE LIGHT has:

- Multiple attachments for glare control
- Symmetric and asymmetric beam options for all applications
- Luminaire housing of Die-Cast Aluminium
- IP66, High Ingress Protection against dust & Moisture
- Innovative proprietary designed bracket without any attachment
- on a round, square or octagonal pole
- Available from 5000 lumens to 10000 lumens
- Energy-efficient LED with high colour rendering
- Extremely robust construction, precise optics and beautiful form factor
- Mono, RGB and RGBW colour option

AHWAL POLE LIGHT



Product order code	System Power	Dimensions
1540	40W	W=95mm Pole H=8410mm
1541	40W	W=95mm Pole H=8410mm
1542	40W	W=95mm Pole H=8410mm
1543	40W	W=95mm Pole H=8410mm

Order Options

CCT (Color Temperature)

- 2700K
- 3000K
- 4000K

CRI

- >90

Beam Angle

- Narrow
- Medium
- Wide

Control

- Non-Dimmable
- Dali- Dimmable



Mounting Type

- Pole Mounted

Material Color

- Black
- Grey