


ALASKA
HIGHBAY LIGHT

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens

L70 @50,000h


Aluminium

Types


Pendant

Single Line Diagram


ALASKA 50




ALASKA 100



ALASKA 150



ALASKA 200



Colours



Light Distribution


Direct



CRI ≥ 90



TUNABLE
WHITE



ALASKA HIGHBAY LIGHT

Alaska Highbay Light is :

- Perfect replacement for high voltage CFL and HID lamps
- Wide operating voltage
- Suitable for commercial & industrial uses
- Made in an extruded aluminium housing
- Lower power consumption than fluorescent lamps
- No UV radiation
- Wide beam angle of 110°
- Illuminates wider areas
- Used in workshops, factories, shopping malls, hospitals and assembly lines

ALASKA HIGHBAY LIGHT



ALASKA 50

Product Order Code	System Power	Dimensions
9001-1	50W	Ø240mm H=160mm

ALASKA 100

Product Order Code	System Power	Dimensions
9001-2	100W	Ø295mm H=160mm

ALASKA 150

Product Order Code	System Power	Dimensions
9001-3	150W	Ø345mm H=180mm

ALASKA 200

Product Order Code	System Power	Dimensions
9001-4	200W	Ø400mm H=180mm

Order Options

CCT (Colour Temperature)

3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI

>90	1
-----	---

Beam Angle

60°	1
90°	2
110°	3

Control

ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5

Mounting Type

Pendant

Material Colour

Grey

Accessories

Product Order Code	Accessories Name	Accessories Image
9001-01 	Led	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1