

AMANDEEP





AMANDEEP DOWNLIGHTER

Amandeep Downlighter has:

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- Round recessed spotlight
- Antiglare reflector
- Option of diffuser and lens optics
- COB (Chip on Board) technology
- LED with effective colour rendering
- Zero multiple shadows
- Reflectors available in different colours

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens/ Diffuser

L70 @50,000h


Aluminium Die-cast

Types


Recessed

Single Line Diagram


Amandeep 7



Amandeep 15




Amandeep 25



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

AMANDEEP



AMANDEEP 7

System Power	Dimension
7W	Outer Dia- 83mm CutoutDia- 67mm Height- 55mm

AMANDEEP 15

System Power	Dimension
15W	Outer Dia- 101mm CutoutDia-90mm Height- 70mm

AMANDEEP 25

System Power	Dimension
25W	Outer Dia- 137mm CutoutDia- 126mm Height- 97mm

Order Options

CCT (Colour Temperature)
3000K
4000K
5700K
Tunable White 2700K-6500K



CRI
>90

Beam Angle
60°(Lens)
90° (Diffuser)

Control
ON-OFF
ON-OFF (FLICKER FREE)
DALI-2 DT6
DALI-2 DT8
DALI+



Mounting

Recessed

Material Colour

RAL As Per Request