

BAY-K68
HIGHBAY LIGHT

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens


L70 @50,000h

Aluminium Die Cast

Types

Pendant

Single Line Diagram




BAY-K68 LINEAR HIGHBAY LIGHT

BAY-K68 Linear Highbay Light is :

- Perfect replacement for high voltage CFL and HID lamps
- Wide operating voltage
- Suitable for commercial & industrial uses
- Made in an extruded aluminium housing
- Lower power consumption than fluorescent lamps
- No UV radiation
- Wide beam angle of 110°
- Illuminates wider areas
- Used in workshops, factories, shopping malls, hospitals, and assembly lines

Light Distribution



CRI ≥ 90



TUNABLE
WHITE

BAY-K68 LINEAR HIGH BAY LIGHT



BAY-K68 LINEAR HIGHBAY LIGHT

Product Order Code	System Power	Dimensions
9004-1	30W	L=900mm, W=68mm,H=37.5mm
9004-2	40W	L=1200mm, W=68mm,H=37.5mm
9004-3	80W	L=2400mm, W=68mm,H=37.5mm

Order Options

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle	
60°	1
90°	2
110°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Pendant

Accessories

Product Order Code	Accessories Name	Accessories Image
9004-01 	Led	

Order Options

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K 	4
CRI	
>90	1