


BRIGHT WALL GLAZER
LED STRIP

divinity lights



Quick Info

CRI $\geq$ 80

2700K, 3000K, 4000K, RGB, RGBW

30 LEDS Per Meter

IP Rating IP68




Non-Dimmable/ Dali-Dimmable

SDCM<3

L70 @50,000h

Type


Surface



BRIGHT WALL GRAZER

Bright Wall Grazer LED Strip Fixture has :

- Original innovation and patent design with the title of PROTECH.
- Dual-bend flexible strip available in both top-bend and side-bend, perfectly fixing for many plane, curved and complex irregular structures.
- Optimized performance with softer bending and twisting, smaller size, lighter weight, and versatile features compared with rigid wall washer.
- Optional optic PMMA lens with multiple beam angles for different kinds of project.
- Excellent brightness and color consistency in 5M [16.4ft.] run length with constant current IC design.
- Convenient installation with complete accessories of clip, bracket, aluminum channel, bendable bracket, outdoor exclusive kit and rotatable bracket.
- IP68 for outdoor usage.



CRI $\geq$ 80

BRIGHT WALL GRAZER



System Power	Dimensions
24W/MTR	25MM X 20MM

Order Options

CCT (Color Temperature)

- 2700K
- 3000K
- 4000K
- RGB
- RGBW

CRI

- >80

Beam Angle

- 24 °

Control

- Non-Dimmable
- Dali- Dimmable
- DMX512 Controller



Mounting Type

- Surface Mounted

Input Voltage

- 24V DC