


**BRIGHT WALL GLAZER**  
LED STRIP



Quick Info

CRI  $\geq$  90

2700K, 3000K, 4000K, RGB, RGBW

Beam Angle 24°

Silicon finish


30 LEDs Per Meter

IP Rating IP67

Non-Dimmable/ Dali-Dimmable



SDCM < 3

L70 @ 50,000h



Type


Surface



## BRIGHT WALL GRAZER

Bright Wall Grazer LED Strip Fixture has :

- Original innovation and patent design with the title of PROTECH.
- Dual-bend flexible strip available in both top-bend and side-bend, perfectly fixing for many plane, curved and complex irregular structures.
- Optimized performance with softer bending and twisting, smaller size, lighter weight, and versatile features compared with rigid wall washer.
- Optional optic PMMA lens with multiple beam angles for different kinds of project.
- Excellent brightness and color consistency in 5M [16.4ft.] run length with constant current IC design.
- Convenient installation with complete accessories of clip, bracket, aluminum channel, bendable bracket, outdoor exclusive kit and rotatable bracket.
- IP67 for indoor and outdoor usage.



CRI > 90

## BRIGHT WALL GRAZER



---

Product order code	System Power	Dimensions
2817	24W/MTR	25MM X 20MM

---

### Order Options

---

#### CCT (Color Temperature)

2700K

3000K

4000K

RGB

RGBW

---

#### CRI

>80

---

#### Beam Angle

120°

---

#### Control

Non-Dimmable

Dali- Dimmable

RGB DMX512



---

#### Mounting Type

Surface Mounted

---

#### VOLTAGE

24V DC