


**DISC EDGE LIT**

**divinity lights**





## DISC EDGELIT

Disc Edge lit has :

- Aluminium Luminaire Housing
- A sleek profile with 20mm height
- Premium Finish Powder coating
- Round frame with disc emitting a circular glow
- Direct yet diffused ambient shine
- High performance Micro Prismatic diffuser
- Glare control & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

### Quick Info

CRI ≥90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Micro Prismatic Diffuser

L70 @50,000h


Aluminium

### Types

Pendant/ Surface/ Recessed


### Single Line Diagram

Pendant/ Surface/ Recessed



### Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE  
WHITE

**DISC EDGELIT**



**DISC EDGELIT (DIRECT)**

System Power	Dimensions
35W	Dia = 600mm, H- 20mm
50W	Dia = 900mm, H- 20mm
70W	Dia = 1200mm, H- 20mm

**DISC EDGELIT (DIRECT-INDIRECT)**

System Power	Dimensions
35W	Dia= 600mm, H- 20mm
50W	Dia = 900mm, H- 20mm
70W	Dia= 1200mm, H- 20mm

**Order Options**

**Distribution**

- Direct
- Indirect
- Up-50% / Down-50%
- Up-30% / Down-70%
- Up-70% / Down-30%
- Up-20% / Down-80%
- Up-80% / Down-20%

**CCT (Color Temperature)**

- 3000K
- 4000K
- 5700K
- Tunable 2700K-6500K



**CRI**

>90

**Beam Angle**

Diffused

**Control**

- ON-OFF
- ON-OFF (FLICKER FREE)
- DALI-2 DT6
- DALI-2 DT8
- DALI +



**Mounting Type**

- Pendent
- Surface
- Recessed

**Material Color**

RAL As Per Request

**Photometric Details**

