


**GENISO 2X2
TROFFER**

divinity lights





Quick Info


CRI ≥ 90
 3000K/ 4000K/ 5700
 Tunable White (2700K-6500K)
 ON-OFF/ON-OFF (FLICKER FREE)
 DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3
 Middle Part Is : Prismatic diffuser
 Both Side Is : PMMA Diffuser
 L70 @ 50,000h
 Aluminium

Types

Recessed

Single Line Diagram



GENISO 2X2 TROFFER

Geniso 2x2 Troffer fixture has :


- 2 x 2 feet led Panel
- Aluminium Luminaire Housing
- Premium Finish Powder coating
- High performance Micro Prismatic at centre diffuser
- PMMA diffuser on both sides
- Glare free & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

GENISO 2X2 TROFFER



GENISO 2X2 TROFFER

System Power	Dimension
25W	LXW = 595mmX 595mm, H = 112mm
30W	LXW = 595mmX 595mm, H = 112mm
35W	LXW = 595mmX 595mm, H = 112mm

Order Options

Distribution

Direct

CCT (Color Temperature)

3000K

4000K

5700K

Tunable 2700K-6500K



CRI

>90

Beam Angle

81.1°

Control

ON-OFF

ON-OFF (FLICKER FREE)

DALI-2 DT6

DALI-2 DT8

DALI +



Mounting Type

Pendant

Surface

Recessed

Material Color

RAL As Per Request

Photometric

LUMINOUS INTENSITY DISTRIBUTION

