

# HERCULES TRIMLESS



**Quick Info**


CRI ≥ 90  
 3000K/ 4000K/ 5700K  
 ON-OFF/ON-OFF (FLICKER FREE)  
 DALI-2 DT6, DALI-2 DT8, DALI+  
 SDCM<3  
 Lens with Honeycomb Louver  
 L70 @50,000h

**Types**


Recessed

**Single Line Diagram**


Hercules 40 Trimless



Hercules 52 Trimless




Hercules 68 Trimless



**Light Distribution**

Direct



CRI ≥ 90



TUNABLE  
WHITE

**HERCULES TRIMLESS**

Hercules Trimless Downlight features has:

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- COB (Chip on Board) technology
- Lens with honeycomb louver
- Available in fixed trimless version
- LED with effective colour rendering
- Provides comfortable illumination with reduced eye strain, ideal for premium interiors.
- Delivers focused and controlled light distribution for accent
- Ensures excellent lumen output with low energy consumption.

## HERCULES TRIMLESS



## HERCULES 40 TRIMLESS

System Power	Dimension
5W	Dia- 40mm, Overall Width- 110mm Height- 56mm

## HERCULES 52 TRIMLESS

System Power	Dimension
10W	Dia- 52mm, Overall Width- 122mm Height- 64mm

## HERCULES 68 TRIMLESS

System Power	Dimension
15W	Dia- 68mm, Overall Width- 138mm Height- 90.5mm

## Order Options

### CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



### CRI

>90

### Beam Angle

10°

15°

24°

36°

50°

### Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



### Mounting

Recessed

### Reflector Colour

Black

White

Gold

Rose Gold

### Material Colour

RAL As Per Request