HORIZON-R
WALL LIGHT











HORIZON-R WALL LIGHT

Horizon-R Wall light has :

- Luminaire housing made of Aluminium die-cast
- Modern and sleek recessed LED wall or step light
- Great solution to most pathways & external walls
- Soft downward illumination for the walkway
- Lamp provides a cosy downward light for outdoor and indoor spaces
- Good amount of light for entrance areas, front door and terrace
- Waterproof rating of IP65
- Beam angle of 12°, 24°, 36°, 60°
- Available in round & square shape

divinity lights

Quick Info

CRI ≥ 80

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Tempered Glass


L70 @50,000h


Aluminium Die-Cast


Type

Surface

Single Line Diagram








CRI ≥ 80

HORIZON-R WALL LIGHT



HORIZON-R WALL LIGHT DIRECT

System Power	Dimensions
5W	Dia=100mm H=100mm
10W	Dia=100mm H=150mm

HORIZON-R WALL LIGHT DIRECT-INDIRECT

System Power	Dimensions
2 x 5W	Dia=100mm H=100mm
2 x 10W	Dia=100mm H=150mm

Order Options

CCT (Color Temperature)

2700K

3000K

4000K

CRI

>80

Beam Angle

12°

24°

36°

60°

Control

Non-Dimmable

Dali- Dimmable

Mounting Type

Surface

Material Color

RAL code as per request