


## HORIZON-S COLUMN

divinity lights





## HORIZON-S COLUMN

HORIZON-S Column fixture has :

- Luminaire housing of Aluminium
- IP66, High Ingress Protection against dust & moisture
- Flicker free operation for eye protection
- Energy-efficient LED with high colour rendering
- The built quality ensures long and maintenance free service life
- Optimum for every outdoor space including society parks, streets, educational institutes, and pathways
- Garden & pathway luminaires create pleasant light distribution with a high degree of visual comfort
- LED bollard, designed to provide radially symmetric light emission of 360°
- Sustainable LED technology offers durability and optimal light output with low power consumption

### Quick Info

CRI  $\geq 80$

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Lens & Reflector




L70 @50,000h

Aluminium Die-Cast

### Type


Surface

### Single Line Diagram



CRI  $\geq 80$

HORIZON-S COLUMN



| System Power | Dimensions                              |
|--------------|-----------------------------------------|
| 10W          | Dia=100mm,H=105mm<br>Pole Height=3000m  |
| 2 x 10W      | Dia=100mm,H=105mm<br>Pole Height=3000mm |

Order Options

CCT (Color Temperature)

2700K

3000K

4000K

CRI

>80

Beam Angle

N.A

Control

Non-Dimmable

Dali- Dimmable



Mounting Type

Surface

Material Color

RAL As Per Request