


JETTA SLIM RING





JETTA SLIM RING

Jetta slim ring fixture has

- Sleek and slim Ring with 45mm height
- Aluminium Housing
- Premium Finish Powder coating
- High efficiency PMMA/ Prismatic diffuser
- Uninterrupted and uniform ring of LED light
- Halo of light around the ceiling
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Quick Info

CRI ≥90

3000K/ 4000K/ 5700K

TUNABLE WHITE 2700-6500K

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

PMMA/ Micro Prismatic Diffuser

L70 @50,000h


Aluminium

Types


Pendant/Surface

Single Line Diagram

Profile Code
SDL-1074



Light Distribution



CRI ≥90



TUNABLE
WHITE

JETTA SLIM RING



SLIM SLIM RING

System Power	Dimensions
25W	L= 300mm
35W	L= 600mm
40W	L= 900mm
50W	L= 1200mm
60W	L= 2400mm

Order Options

Distribution

Direct

CCT (Color Temperature)

3000K
4000K
5700K
Tunable 2700K-6500K



CRI

>90

Beam Angle

Diffused

Control

ON-OFF
ON-OFF (FLICKER FREE)
DALI-2 DT6
DALI-2 DT8
DALI +



Mounting Type

Pendent

Material Color

RAL As Per Request