

divinity lights

The image features three concentric, glowing circular light fixtures, likely chandeliers, arranged in a spiral pattern. Each fixture is composed of numerous small, bright lights. The background is a light gray with a subtle, repeating diamond or lattice pattern. The overall aesthetic is elegant and modern.

LUMINA BLOOM

LUMINA BLOOM SERIES


LUMINA BLOOM LINEAR PENDANT



Lumina Bloom is a system born from the fusion of optical, structural, and production elements, brought to life through transparency. At its core there is an optical cell,

engineered for maximum efficiency and optimal perception. Much like a cell, it reproduces and collaborates within the system, creating a seamless flow

The optical calculation daringly embraces the material's transparency, achieving a flawless blend of all the elements typically found in a lighting control system.



LINEAR MODULE

DIMENSIONS

L=420mm / 840mm / 1260mm / 1680mm / 2100mm
W=30mm, H=32mm

WATTAGE

4W - 8W / 9W - 6W / 14.4W / 24W / 36W / 45W

CCT


3000K / 4000K / TUNABLE


CRI

> 80 / 90 / 95

MATERIAL & FINISH

ALUMINIUM WITH SILVER FINISH





LUMINA BLOOM LINEAR PENDANT

- Lumina bloom linear pendant sleek and slim linear fixture has:
- Luminaire housing of extruded aluminium
- No visible screw
- Snap-fit system
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance
- Pendant with cable suspension
- M6 bolt for M6 fastener
- Energy-efficient LED

Quick Info


CRI ≥ 80/90/95
 3000K/4000K TUNABLE
 Up to 100lm/W
 ON-OFF/ON-OFF (FLICKER FREE)
 DALI-2/DALI-2 DT8/D4i/DALI +
 POE (Power Over Ethernet)
 SDCM<3
 ALUMINIUM WITH SILVER FINISH

Types

Pendant

Single Line Diagram

Pendant




Colours



Light distribution

Direct



CRI ≥ 80/ 90/ 95



TUNABLE
 WHITE

LUMINA BLOOM LINEAR PENDANT



LUMINA BLOOM LINEAR PENDANT

Product Order Code	System Power	Dimensions
9603- 1	4W - 8W	L = 212mm - 424mm
9603- 2	6W - 9W	L = 314mm - 471mm
9603- 3	15W	L = 785mm
9603- 4	24W	L = 1256mm
9603- 5	36W	L = 1884mm
9603- 6	45W	L = 2355mm

Order Options

Distribution

Direct

Lumen Type

Low	1
High	2

CCT (Colour Temperature)

3000K	1
4000K	2
Tunable White 3000k-4000k	3

CRI

>80	1
>90	2
>95	3

Beam Angle

110°

Control

ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2	3
DALI-2 DT8	4
DALI +	5
D4i	6
POE (Power Over Ethernet)	7





Mounting Type

Pendant	1
---------	---

Material Colour


Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
9603-01 <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	LED PCB	
9603-02	Suspension Wire	
9603-03	Profile Connector	
9603-04 <input type="checkbox"/>	Profile Endcap	


Order Options

Lumen Type	<input checked="" type="checkbox"/>
Low	1
High	2

CCT (Colour Temperature)	<input checked="" type="radio"/>
3000K	1
4000K	2
Tunable White 3000k-4000k 	3

CRI	<input checked="" type="radio"/>
>80	1
>90	2
>95	3

Material Colour	<input checked="" type="radio"/>
Black	1
White	2
Grey	3



LUMINA BLOOM LINEAR PENDANT