


LINA
ADJUSTABLE

divinity lights





LINA ADJUSTABLE

Lina Adjustable has :

- Luminaire housing of die-cast- aluminium
- Round recessed adjustable spotlight with effortless installation
- Premium powder coated finish
- COB (Chip on Board) technology
- Adjustable fixtures for highlighting as required
- For specific areas or to accentuate a feature
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- Zero multiple shadows

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens & Refelctor

L70 @50,000h

Aluminium Die-cast


Types

Recessed


Single Line Diagram

Recessed

LINA ADJUSTABLE 6



LINA ADJUSTABLE 2 X 6




Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

LINA ADJUSTABLE



LINA ADJUSTABLE 6

Product Order Code	System Power	Dimension
4024-      1	6W	Outer Dia = 80mm Cutout Dia = 65mm H = 122mm

LINA ADJUSTABLE 2 x 6

Product Order Code	System Power	Dimension
4024-      2	2 x 6W	Outer LXW = 140mmX80mm Cutout LXW = 130mmX70mm H = 122mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle	
12°	1
24°	2
38°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4024-01   	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1