

**MAYES F  
TASK LIGHT**

**divinity lights**





## MAYES F

Mayes F fixture has :

- Free standing single arm Task light luminaire
- Luminaire housing of aluminium
- Premium powder coated finish
- High efficiency LGP (Light Guide Plate) optics
- SMD (Surface Mount Device) technology
- LED with high colour rendering
- Interpretation of the real environment light and colours
- Minimalistic design
- Numerous combinations of lamp head designs for a variety of desks

### Quick Info

CRI  $\geq 90$

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

Non-Dimmable

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

LGP (Light Guide Plate)


L70 @50,000h

Aluminium Die-cast

### Types

Surface

### Single Line Diagram




### Colours



### Light Distribution

Direct Direct-Indirect



CRI  $\geq 90$



TUNABLE  
WHITE

## MAYES F



### MAYES F (DIRECT)

System Power	Dimension
60W	Arm L= 610mm W= 310mm H= 1950mm
80W	Arm L= 610mm W= 310mm H= 1950mm

### MAYES F (DIRECT-INDIRECT)

System Power	Dimension
60W	Arm L= 610mm W= 310mm H= 1950mm
100W	Arm L= 610mm W= 310mm H= 1950mm

## Order Options

### CCT (Colour Temperature)

2700K available in 10,15, & 22 watts

3000K

4000K

6000K

### CRI

>90

### Beam Angle

110°

### Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



### VOLTAGE

24V DC

### Mounting

Floor Surface