




divinity lights

Quick Info

CRI \ge 80 /90 2700K, 3000K, 4000K Up to 85 lm/W Non-Dimmable/ Dali-Dimmable SDCM<3 Lens L70 @50,000h Aluminium Die-Cast


Types Pole Mounted

Single Line Diagram



Light Distribution





CRI ≥ 80/90







MIDI TREE POLE LIGHT

Midi Tree Pole Light has:

- Highly lumen package and robust construction
- Luminaire housing of Die-Cast Aluminium
- IP66, High Ingress Protection against dust & moisture
- Ideal design for rough outdoor environment
- Precise optics and beautiful form factor
- Energy-efficient LED with high colour rendering
- Sports lighting for small to medium sized indoor and outdoor sports arenas
- Multiple & flexible optics and an option for remote power supply for easy maintenance

divinity lights

MIDI TREE POLE LIGHT

2

VOLTAGE 24V DC IP66	CRI 2 80/90	
Product Order Code	System Power	Dimensions
1521	100W	Dia=290mm

Order Options

CCT (Colour Temperature)

2700K 3000K 4000K

CRI

>80 >90

Beam Angle

Narrow Medium Wide

Control

Non-Dimmable

Mounting Type

Pole Mounted

Material Colour

Black	\bullet	
Grey		