


MONOCULARS HB

divinity lights





MONOCULARS HB

Monoculars HB has:

- Luminaire housing of die-cast-aluminium
- Round recessed spotlight with effortless installation
- Premium powder coated finish
- COB (Chip on Board) technology
- Fixtures for highlighting as required
- For specific areas or to accentuate a feature
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- Zero multiple shadows

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens & Reflector

L70 @50,000h

Aluminium Die-cast



Types

Recessed



Single Line Diagram

Recessed



MONOCULARS HB 62





MONOCULARS HB 84




MONOCULARS HB 140



MONOCULARS HB 194




Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

MONOCULARS HB



Monoculars HB (DIRECT)

Product Order Code	System Power	Dimensions
4060- 1	5W	Cutout Dia = 55mm Outer Dia = 62mm H = 93mm
4060- 2	10W	Cutout Dia = 126X65mm Outer Dia = 140mm H = 93mm
4060- 3	12W	Cutout Dia = 75mm Outer Dia = 84mm H = 104mm
4060- 4	18W	Cutout Dia = 177X88mm Outer Dia = 194mm H = 104mm


Order Options

Distribution

Direct

CCT (Colour Temperature)

- 3000K 1
- 4000K 2
- 5700K 3
- Tunable White 2700K-6500K 4



CRI

- >90 1

Beam Angle

38°

Control

- ON-OFF 1
- ON-OFF (FLICKER FREE) 2
- DALI-2 DT6 3
- DALI-2 DT8 4
- DALI + 5

Mounting Type

- Recessed 1

Material Colour

- Black 1
- White 2
- Gray 3