


# ORBIT TRIMLESS



## Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6, DALI-2 DT8, DALI+

SDCM<3

Lens & Diffuser Option Available


L70 @50,000h

## Types


Recessed

## Single Line Diagram


ORBIT 40 Trimless



ORBIT 52 Trimless



ORBIT 68 Trimless




## ORBIT TRIMLESS

Orbit Trimless Downlight features has:

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- COB (Chip on Board) technology
- Lens with honeycomb louver
- Available in fixed trimless version
- LED with effective colour rendering
- Provides comfortable illumination with reduced eye strain, ideal for premium interiors.
- Delivers focused and controlled light distribution for accent
- Ensures excellent lumen output with low energy consumption.

## Light Distribution

Direct



CRI ≥ 90



TUNABLE  
WHITE

## ORBIT TRIMLESS



## ORBIT 40 TRIMLESS

System Power	Dimension
5W	Dia- 40mm, Overall Width- 110mm Height- 56mm

## ORBIT 52 TRIMLESS

System Power	Dimension
10W	Dia- 52mm, Overall Width- 122mm Height- 64mm

## ORBIT 68 TRIMLESS

System Power	Dimension
15W	Dia- 68mm, Overall Width- 138mm Height- 90.5mm

## Order Options

### CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



### CRI

>90

### Beam Angle

15°

26°

36°

60°

### Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



### Mounting

Recessed

### Reflector Colour

Black

White

Gold

Rose Gold

### Material Colour

RAL As Per Request