

ORCA

divinity lights





ORCA

Orca has:

- Luminaire housing of die-cast-aluminium
- Round recessed adjustable spotlight with effortless installation
- Premium powder coated finish
- COB (Chip on Board) technology
- Fixtures for highlighting as required
- For specific areas or to accentuate a feature
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- Zero multiple shadows

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens & Reflector

L70 @50,000h

Aluminium Die-cast


Types

Recessed


Single Line Diagram

Recessed


ORCA 7




ORCA 12



ORCA 12



Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

ORCA



ORCA (DIRECT)

Product Order Code	System Power	Dimensions
4057- 1	7W	Cutout Dia = 35mm Outer Dia = 42mm H = 73mm
4057- 2	12W	Cutout Dia = 45mm Outer Dia = 52mm H = 80mm
4057- 3	12W	Cutout Dia = 45mm Outer Dia = 72mm H = 80mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle

28°

Control	
ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5

Mounting Type	
Recessed	1

Material Colour	
Black	1
White	2
Gray	3