


**P2 VERTICAL
WALL GRAZER**

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens



L70 @50,000h

Aluminium

Types

Surface

Single Line Diagram




P2 VERTICAL WALL GRAZER

P2 Vertical Wall Grazer has :

- Luminaire housing made of extruded aluminium
- Grazes walls
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Precision optics provide a narrow 10° beam
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering

Light Distribution



CRI ≥ 90



TUNABLE
WHITE

P2 VERTICALWALL GRAZER



P2 VERTICAL WALL GRAZER

System Power	Dimension
4W/m	L= 300mm W= 24.5mm H= 43mm
8W/m	L= 600mm W= 24.5mm H= 43mm
12W/m	L= 1000mm W= 24.5mm H= 43mm

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

10°

30°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Surface

Material Colour

RAL As Per Request