



P2 HORIZONTAL WALL GRAZER

divinity lights



RI ≥ 80

Quick Info

CRI ≥ 80

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM <3

Lens

L70 @50,000h



Aluminium



Type

Surface

Single Line Diagram




P2 HORIZONTAL

P2 Horizontal Wall Grazer with Visor has :

- Luminaire housing made of extruded aluminium
- Grazes walls vertically
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Precision optics provide a narrow 10° beam
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering


Light Distribution

Direct



CRI ≥ 80

P2 HORIZONTAL



System Power	Dimensions
10W/M	L=300mm, W=24.42mm, H=49.5mm
10W/M	L=600mm, W=24.42mm, H=49.5mm
10W/M	L=1000mm, W=24.42mm, H=49.5mm

Order Options

CCT (Color Temperature)

2700K

3000K

4000K

CRI

>80

Beam Angle

45°

Control

Non-Dimmable

Dali- Dimmable



Mounting Type

Surface

Material Color

RAL as per request