


**P2 VERTICAL
WALL GRAZER**

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens



L70 @50,000h

Aluminium

Types

Surface

Single Line Diagram



P2 VERTICAL WALL GRAZER


P2 Vertical Wall Grazer has :

- Luminaire housing made of extruded aluminium
- Grazes walls
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Precision optics provide a narrow 10° beam
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering

Colours



Light Distribution



CRI ≥ 90



TUNABLE
WHITE

P2 VERTICAL WALL GRAZER



P2 VERTICAL WALL GRAZER

Product Order Code	System Power	Dimension
8002- 1	10W/m	L=300mm, W=24.5mm, H=43mm
8002- 2	10W/m	L=600mm, W=24.5mm, H=43mm
8002- 3	10W/m	L=1000mm, W=24.5mm, H=43mm

Order Options

CCT (Colour Temperature)

3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI

>90	1
-----	---

Beam Angle

10°	1
30°	2

Control

ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5

Mounting Type

Surface

Material Colour

Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
8002-01 	Led	
8002-02	Lens	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1