





P2- 2340
WALL GRAZER

divinity lights





P2-2340 WALL GRAZER

P2-2340 Wall Grazer light has :

- Luminaire housing made of extruded aluminium
- Grazes walls
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Precision optics provide a 45° beam
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering

Quick Info

CRI ≥ 80

2700K, 3000K, 4000K

70 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Lens With Tempered Glass



L70 @50,000h

Aluminium Die-Cast

Types

Surface

Single Line Diagram



CRI ≥ 80

P2-2340 WALL GRAZER



System Power	Dimensions
10W/m	L= 1000mm, W= 23.3mm, H= 40.3mm
15W/m	L= 1000mm, W= 23.3mm, H= 40.3mm
20W/m	L= 1000mm, W= 23.3mm, H= 40.3mm

Order Options

CCT (Colour Temperature)

2700K
3000K
4000K

CRI

>80

Beam Angle

45°

Control

Non Dimmable
Dali Dimmable

Mounting Type

Wall Surface

Material Colour

RAL as per request