


P2 KERYO  
WALL WASHER

divinity lights



#### Quick Info

CRI  $\geq 80$

2700K, 3000K, 4000K

70 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Wall Washer Optic Diffuser


L70 @50,000h

Aluminium Die-Cast

#### Types

Surface

#### Single Line Diagram



CRI  $\geq 80$

## P2 KERYO WALL WASHER

P2 Keryo Wall Washer light has :

- Luminaire housing made of extruded aluminium
- Wash the wall vertically
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering

P2 KERYO WALL WASHER



| System Power | Dimensions                          |
|--------------|-------------------------------------|
| 10W/m        | L= 1000mm,<br>W= 14.8mm,<br>H= 15mm |
| 15W/m        | L= 1000mm,<br>W= 14.8mm,<br>H= 15mm |
| 20W/m        | L= 1000mm,<br>W= 14.8mm,<br>H= 15mm |

Order Options

CCT (Color Temperature)

2700K  
3000K  
4000K

CRI

>80

Beam Angle

Wall Washer Optic

Control

Non-Dimmable  
Dali Dimmable



Mounting Type

Surface

Material Color

RAL code as per request