


RAFTER
UNDERWATER LIGHT

divinity lights





Quick Info

CRI ≥ 80

2700K, 3000K, 4000K, RGB, RGBW

70 lm/W

Non-Dimmable/ Dali-Dimmable

DMX Controller

SDCM<3

Lens with Tempered Glass


L70 @50,000h

Aluminium

Types

Surface


Single Line Diagram



RAFTER

Rafter underwater light has :

- Luminaire housing made of Stainless Steel for superior corrosion resistance
- Modern LED underwater light
- IP68 Waterproof Protection for reliable underwater operation
- High Lumen Output for bright and uniform illumination
- Long Lifespan of up to 50,000 hours.
- Low Maintenance Design for fountains, pools, ponds, and water features.
- Tempered Glass Lens for enhanced durability and impact resistance



CRI ≥ 80

RAFTER



System Power	Dimensions
25W	Dia= 220mm H= 60mm

Order Options

CCT (Colour Temperature)

- 2700K
- 3000K
- 4000K
- RGB
- RGBW

CRI

- >80

Beam Angle

- 10°
- 15°
- 24°
- 36°
- 50°

Control

- Non-Dimmable
- Dali-Dimmable
- DMX Controller



Mounting Type

- Surface

Material Colour

- RAL as per request