


RAYS-20 EN
ENCAPSULATE LIGHT

divinitylights



Quick Info

CRI ≥ 80

2400/2700/3000/4000k

80 lm/W

Non-Dimmable/ Dali-Dimmable/DMX

SDCM<3

Lens with Mono color DMX 100mm
pixel pitch RGBW DMX 250 mm pixel
pitch

Lens with Potted






L70 @50,000h

Aluminium

Types

Surface


Single Line Diagram



RAYS-20 ENCAPSULATE

Rays-20 Encapsulate light has :

- Luminaire housing made of extruded aluminium
- Integrated lens technology provides controlled light distribution and improved beam accuracy.
- Lens design minimizes direct glare, ensuring enhanced visual comfort.
- Delivers consistent and evenly distributed illumination with reduced light spill
- Encapsulation protects LEDs and optics from dust and environmental factors.
- Available in multiple beam distributions to suit different lighting requirements.
- Fully enclosed construction offers a clean, modern appearance and protects internal components.
- Uniform illumination



CRI ≥ 80

RAYS-20 ENCAPSULATE



System Power	Dimensions
10W	L-1000mm, W= 22.7mm, H- 23.5mm
15W	L-1000mm, W= 22.7mm, H- 23.5mm
20W	L-1000mm, W= 22.7mm, H- 23.5mm

Order Options

CCT (Colour Temperature)

- 2400K
- 2700K
- 3000K
- 4000K
- Mono Color With DMX 100 Pixel Pitch
- RGBW Color With DMX 250 Pixel Pitch

CRI

- >80

Beam Angle

- 15°
- 35°
- 55°
- 10X55°

Control

- Non Dimmable
- Dali Dimmable
- DMX Controller

Mounting Type

- Surface

Material Colour

- RAL as per request