

SERNA ADJUSTABLE



divinity lights


Quick Info

CRI ≥ 90
3000K, 4000K, 5700K
Tunable White 2700-6500K
ON-OFF/ ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI +
SDCM<3
Lens & Reflector
L70 @50,000h
Aluminium Die-cast


Type

Recessed


Serna Ajustable 35



Serna Ajustable 45




Serna Ajustable 55



Light Distribution

Direct



CRI ≥ 90/95



TUNABLE WHITE



SERNA ADJUSTABLE

Serna Adjustable fixture has:

- Luminaire housing of die-cast- aluminium
- Round recessed spotlight with effortless installation
- Surface powder coated
- COB (Chip on Board) technology
- Technology for maximum efficiency
- Tiltable fixtures for giving direction as required
- For specific areas or to accentuate a feature
- Zero multiple shadows
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- High colour rendering

SERNA ADJUSTABLE



SERNA ADJUSTABLE- 35

System Power	Dimension
5W	Outer Dia- 40mm CutoutDia- 35mm Height- 80mm

SERNA ADJUSTABLE- 45

System Power	Dimension
7W	Outer Dia- 50mm CutoutDia- 45mm Height- 100mm

SERNA ADJUSTABLE- 55

System Power	Dimension
10W	Outer Dia- 60mm CutoutDia- 55mm Height- 106.5mm
15W	Outer Dia- 60mm CutoutDia- 55mm Height- 136.5mm

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

15°

24°

36°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Recessed

Material Colour

RAL As Per Request

Reflector Colour

Black

White