

SERNA FIXED



Quick Info

CRI \geq 90
 3000K, 4000K, 5700K
 Tunable White 2700-6500K
 ON-OFF/ ON-OFF (FLICKER FREE)
 DALI-2 DT6 / DALI-2 DT8/ DALI +
 SDCM<3
 Lens & Reflector
 L70 @50,000h
 Aluminium Die-cast


Type

Recessed


Single Line Diagram

Recessed


Serna Fixed 28



Serna Fixed 35




Serna Fixed 47



Light Distribution

Direct



CRI \geq 90



TUNABLE WHITE

SERNA FIXED

Serna Fixed fixture has:

- Luminaire housing of die-cast- aluminium
- Round recessed spotlight with effortless installation
- Surface powder coated
- COB (Chip on Board) technology
- Technology for maximum efficiency
- For specific areas or to accentuate a feature
- Zero multiple shadows
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- High colour rendering

SERNA FIXED



SERNA FIXED- 28

System Power	Dimension
5W	Outer Dia- 34.5mm CutoutDia- 28mm Height- 74mm

SERNA FIXED- 35

System Power	Dimension
7W	Outer Dia- 41.5mm CutoutDia- 35mm Height- 74.5mm

SERNA FIXED- 47

System Power	Dimension
10W	Outer Dia- 54mm CutoutDia- 47.5mm Height- 81mm

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

15°

24°

36°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Recessed

Material Colour

RAL As Per Request

Reflector Colour

Black

White