

**SHINE FLEXIBLE WALL
WASHER STRIP 0.2**



Quick Info

CRI ≥ 90

WW NW, CCT, RGB

DALI-2 DT6/ DALI-2 DT8 / DMX CONTROL

SDCM <3

L70 @50,000h

Types


Surface



SHINE FLEXIBLE WALL WASHER 0.2

This strip light features:

- Original innovation and patent design with the title of PROTECH.
- Dual-bend flexible strip available in both top-bend and side-bend, perfectly fixing for many plane, curved and complex irregular structures.
- Optimized performance with softer bending and twisting, smaller size, lighter weight, and versatile features compared with rigid wall washer.
- Optional optic PMMA lens with multiple beam angles for different kinds of project.
- Excellent brightness and color consistency.
- Convenient installation with complete accessories of clip, bracket, aluminum channel, bendable bracket, outdoor exclusive kit and rotatable bracket.



CRI ≥ 90



TUNABLE
WHITE

SHINE FLEXIBLE WALL WASHER STRIP 0.2



SHINE FLEXIBLE WALL WASHER STRIP 0.2

Product Order Code	System Power	Dimension	
7008- 1	18W/MTR	22MM x 12MM	
7008- 2	18W/MTR	22MM x 12MM	
7008- 3	18W/MTR	22MM x 12MM	DMX
7008- 4	16W/MTR	16MM WIDTH	
7008- 5	18W/MTR	16MM WIDTH	
7008- 6	24W/MTR	25MM X 20MM	

Order Options

CCT (Colour Temperature)	
WW NW	1
CCT	2
RGB	3

CRI	
>90	1

Beam Angle

24°

Control	
DALI-2 DT6	1
DALI-2 DT8	2
DMX CONTROL	3

VOLTAGE

24V DC

Mounting

Surface