



## SHINE FLEXIBLE WALL WASHER STRIP



#### Quick Info

CRI  $\geq 90$

WW NW, CCT, RGB



DALI-2 DT6/ DALI-2 DT8 / DMX CONTROL

SDCM $<3$

L70 @50,000h

#### Types


Surface



## SHINE FLEXIBLE WALL WASHER

This strip light features:

- Original innovation and patent design with the title of PROTECH.
- Dual-bend flexible strip available in both top-bend and side-bend, perfectly fixing for many plane, curved and complex irregular structures.
- Optimized performance with softer bending and twisting, smaller size, lighter weight, and versatile features compared with rigid wall washer.
- Optional optic PMMA lens with multiple beam angles for different kinds of project.
- Excellent brightness and color consistency.
- Convenient installation with complete accessories of clip, bracket, aluminum channel, bendable bracket, outdoor exclusive kit and rotatable bracket.



CRI  $\geq 90$






























TUNABLE  
WHITE

607


SHINE FLEXIBLE WALL WASHER STRIP



SHINE FLEXIBLE WALL WASHER STRIP

Product Order Code	System Power	Dimension	
7007-    1	18W/MTR	22MM x 12MM	 
7007-    2	18W/MTR	22MM x 12MM	
7007-    3	18W/MTR	22MM x 12MM	 DMX
7007-    4	16W/MTR	16MM WIDTH	
7007-    5	18W/MTR	16MM WIDTH	 
7007-    6	24W/MTR	25MM X 20MM	 




Order Options

CCT (Colour Temperature)	
WW NW	1
CCT	2
RGB	3

CRI	
>90	1

Beam Angle

24°	
-----	--

Control	
DALI-2 DT6	 1
DALI-2 DT8	 2
DMX CONTROL	3

VOLTAGE

24V DC	
--------	--

Mounting

Surface	
---------	--



