

TRON DUO

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

PMMA Diffuser



L70 @50,000h

Aluminium Die-cast

Types

Recessed

Single Line Diagram



TRON DUO

Tron Duo has:


- Luminaire housing of die cast- aluminium
- Deep recessed dual optics spotlight with effortless installation
- Surface powder coated
- SMD (Surface Mount Device) technology
- Technology for maximum efficiency
- LED with high colour rendering
- Interpretation of the real environment light and colours
- Zero multiple shadows

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

TRON DUO



TRON DUO

Product Order Code	System Power	Dimension
4021-	15W	Outer Dia = 182mm Cutout Dia = 158mm H = 86mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle

110°

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4021-01 	LED	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1