


VIRAJ 45 LENS

divinity lights



divinity lights

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM <3

Lens

L70 @ 50,000h


Aluminium

Types


Pendant/ Surface/ Recessed

Single Line Diagram

Pendant/ Surface



Recessed




Colours



Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE WHITE

VIRAJ 45 LENS

Viraj 45 Lens linear fixture has :

- Luminaire housing of extruded aluminium
- Premium Finish powder coating
- Unique deep lens and reflector to prevent glare and for uniformity
- No visible screw
- Energy efficient LED
- LED PCB Mounted on insert with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

VIRAJ 45 LENS



VIRAJ 45 LENS (DIRECT)

Product Order Code	System Power	Dimensions
1003-1□●●■▱○1	7W	L = 300mm
1003-1□●●■▱○2	14W	L = 600mm
1003-1□●●■▱○3	21W	L = 900mm
1003-1□●●■▱○4	28W	L = 1200mm
1003-1□●●■▱○5	56W	L = 2400mm

VIRAJ 45 LENS (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1003-▼□□●●■1○1	9W	L = 300mm
1003-▼□□●●■1○2	18W	L = 600mm
1003-▼□□●●■1○3	27W	L = 900mm
1003-▼□□●●■1○4	35W	L = 1200mm
1003-▼□□●●■1○5	70W	L = 2400mm

Order Options

Distribution	▼
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6

CCT (Colour Temperature)	●
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	●
>90	1



Beam Angle	
15°	
24°	
38°	

Control	■
ON-OFF	⏻ 1
ON-OFF (FLICKER FREE)	👁️ 2
DALI-2 DT6	DALI 3
DALI-2 DT8	DT8 4
DALI +	DALI+ 5

Mounting Type	▱
Pendant	1
Surface	2
Recessed	3

Material Colour	○
Black	● 1
White	○ 2
Grey	● 3

Accessories

Product Order Code	Accessories Name	Accessories Image
1003-01 	LED PCB	
1003-02	Suspension Wire	
1003-03	Lens	
1003-04	Profile Connector	
1003-05 	Profile Endcap	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1
Material Colour		
Black		1
White		2
Grey		3