


**VIRAJ 5690
DAISY CURVE**

divinity lights



divinity lights

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Lens



L70 @ 50,000h

Aluminium

Types

Pendant/ Surface

Single Line Diagram



VIRAJ 5690 DAISY CURVE

Viraj 5690 Daisy Curve has:


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- Snap- fit system with No visible screw
- Unique lens System
- 3 beam angle options 30°, 50° and widespread 80°
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE WHITE

VIRAJ 5690 DAISY CURVE



VIRAJ 5690 DAISY CURVE (DIRECT)

Product Order Code	System Power	Dimensions
1009-1        	7W	L = 300mm, W = 54mm, H = 90mm
1009-1        	14W	L = 600mm, W = 54mm, H = 90mm
1009-1        	21W	L = 900mm, W = 54mm, H = 90mm
1009-1        	28W	L = 1200mm, W = 54mm, H = 90mm
1009-1        	56W	L = 2400mm, W = 54mm, H = 90mm



VIRAJ 5690 DAISY CURVE (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1009-         	9W	L = 300mm, W = 54mm, H = 90mm
1009-         	18W	L = 600mm, W = 54mm, H = 90mm
1009-         	27W	L = 900mm, W = 54mm, H = 90mm
1009-         	35W	L = 1200mm, W = 54mm, H = 90mm
1009-         	70W	L = 2400mm, W = 54mm, H = 90mm

Order Options

Distribution		▼
Direct		1
Direct-Indirect		
Up-50% / Down-50%		2
Up-30% / Down-70%		3
Up-70% / Down-30%		4
Up-20% / Down-80%		5
Up-80% / Down-20%		6
CCT (Colour Temperature)		●
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		◐
>90		1
Beam Angle		▲
30°		1
50°		2
80°		3
Control		■
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5
Mounting Type		▭
Pendant		1
Surface		2
Material Colour		⦿
Black		1
White		2
Grey		3

Accessories

Product Order Code	Accessories Name	Accessories Image
1009-01 	LED PCB	
1009-02	Suspension Wire	
1009-03	30° Lens	
1009-04	50° Lens	
1009-05	80° Lens	
1009-06	Profile Connector	
1009-07 	Profile Endcap	

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



1

2

3

4

CRI

>90

1

Material Colour

Black

White

Grey

1

2

3