


**VIRAJ DAISY
MINI**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Lens

L70 @ 50,000h


Aluminium

Types


Pendant/ Surface/ Recessed

Single Line Diagram

Pendant/ Surface



Recessed




Colours



Light Distribution

Direct



CRI $\geq$ 90



TUNABLE WHITE

VIRAJ DAISY MINI

Viraj Daisy Mini sleek and slim linear fixture has :

- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- Snap- fit system with No visible screw
- Unique lens System
- 3 beam angle options 30°, 40° and widespread 65°
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

VIRAJ DAISY MINI



VIRAJ DAISY MINI (DIRECT)

Product Order Code	System Power	Dimensions
1010-  1	6W	L = 300mm
1010-  2	12W	L = 600mm
1010-  3	18W	L = 900mm
1010-  4	25W	L = 1200mm
1010-  5	50W	L = 2400mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle	
30°	1
40°	2
65°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type	
Pendant	1
Surface	2
Recessed	3

Material Colour		
Black		1
White		2
Grey		3

Accessories

Product Order Code	Accessories Name	Accessories Image
1010-01 	LED PCB	
1010-02	Suspension Wire	
1010-03	30° Lens	
1010-04	40° Lens	
1010-05	65° Lens	
1010-06	Profile Connector	
1010-07 	Profile Endcap	

Order Options

CCT (Colour Temperature)

- 3000K1
- 4000K2
- 5700K3
- Tunable White 2700K-6500K4

CRI

- >901

Material Colour

- Black1
- White2
- Grey3