


**VIRAJ
TRAPEZ LENS**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Lens

L70 @ 50,000h



Aluminium

Types

Pendant/ Surface

Single Line Diagram

Pendant/ Surface



VIRAJ TRAPEZ LENS

Viraj Trapez Lens linear fixture has:


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- Snap fit system with No visible screw
- Deep recessed lens System
- Beam angles options of 30°, 55° and 65°
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct



CRI $\geq$ 90



TUNABLE WHITE

VIRAJ TRAPEZ LENS



VIRAJ TRAPEZ LENS (DIRECT)

Product Order Code	System Power	Dimensions
1016-  1	7W	L = 300mm, W = 59mm, H = 67mm
1016-  2	14W	L = 600mm, W = 59mm, H = 67mm
1016-  3	21W	L = 900mm, W = 59mm, H = 67mm
1016-  4	28W	L = 1200mm, W = 59mm, H = 67mm
1016-  5	56W	L = 2400mm, W = 59mm, H = 67mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1


Beam Angle	
30°	1
55°	2
65°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type	
Pendant	1
Surface	2

Material Colour		
Black		1
White		2
Grey		3

Accessories

Product Order Code	Accessories Name	Accessories Image
1016-01 	LED PCB	
1016-02	Suspension Wire	
1016-03	30° Lens	
1016-04	55° Lens	
1016-05	65° Lens	
1016-06	Profile Connector	
1016-07 	Profile Endcap	

Order Options

CCT (Colour Temperature)		
3000K	1	
4000K	2	
5700K	3	
Tunable White 2700K-6500K	4	
CRI		
>90	1	
Material Colour		
Black	1	
White	2	
Grey	3	