


**VIRAJ TRAPEZ
PRISMATIC**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Micro Prismatic Diffuser



L70 @ 50,000h

Aluminium

Types

Pendant/ Surface

Single Line Diagram



VIRAJ TRAPEZ PRISMATIC

Viraj Trapez Prismatic linear fixture has:


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- High efficiency Prismatic double diffuser
- Better refractive index to reduce glare
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Snap- fit system and No visible screw
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct



CRI $\geq$ 90



TUNABLE WHITE

VIRAJ TRAPEZ PRISMATIC



VIRAJ TRAPEZ PRISMATIC (DIRECT)

Product Order Code	System Power	Dimensions
1017-  1	7W	L = 300mm, W = 59mm, H = 67mm
1017-  2	14W	L = 600mm, W = 59mm, H = 67mm
1017-  3	21W	L = 900mm, W = 59mm, H = 67mm
1017-  4	28W	L = 1200mm, W = 59mm, H = 67mm
1017-  5	56W	L = 2400mm, W = 59mm, H = 67mm

Order Options

Distribution

Direct	
CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	 4

CRI	
>90	1

Beam Angle


110°	
------	--

Control	
ON-OFF	 1
ON-OFF (FLICKER FREE)	 2
DALI-2 DT6	 3
DALI-2 DT8	 4
DALI +	 5

Mounting Type	
Pendant	1
Surface	2

Material Colour	
Black	 1
White	 2
Grey	 3

Accessories

Product Order Code	Accessories Name	Accessories Image
1017-01 	LED PCB	
1017-02	Suspension Wire	
1017-03	PMMA Diffuser	
1017-04	Micro Prismatic Diffuser	
1017-05	Profile Connector	
1017-06 	Profile Endcap	

Order Options

CCT (Colour Temperature)		
3000K	1	
4000K	2	
5700K	3	
Tunable White 2700K-6500K	4	
CRI		
>90	1	
Material Colour		
Black	1	
White	2	
Grey	3	