


VIRAJ 45

divinity lights



Quick Info


CRI ≥ 90
3000K/ 4000K/ 5700K
Tunable White 2700K-6500K
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI +
SDCM<3
PMMA Diffuser
L70 @ 50,000h
Aluminium

Types


Pendant/ Surface/ Recessed

Single Line Diagram

Pendant / Surface



Recessed




Colours



Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE WHITE

VIRAJ 45

Viraj 45 linear fixture has :

- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coting
- High performance PMMA diffuser
- Snap fit system
- Energy efficient LED
- LED PCB mounted on insert design with heat sink
- No visible screw
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

VIRAJ 45



VIRAJ 45 (DIRECT)

Product Order Code	System Power	Dimensions
1002-1□●●■▱○1	7W	L = 300mm
1002-1□●●■▱○2	14W	L = 600mm
1002-1□●●■▱○3	21W	L = 900mm
1002-1□●●■▱○4	28W	L = 1200mm
1002-1□●●■▱○5	56W	L = 2400mm


VIRAJ 45 (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1002-▼□●●■▱○1	9W	L = 300mm
1002-▼□●●■▱○2	18W	L = 600mm
1002-▼□●●■▱○3	27W	L = 900mm
1002-▼□●●■▱○4	35W	L = 1200mm
1002-▼□●●■▱○5	70W	L = 2400mm

Order Options

Distribution	▼
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
CCT (Colour Temperature)	●
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4
CRI	●
>90	1
Beam Angle	
110°	
Control	■
ON-OFF	⏻ 1
ON-OFF (FLICKER FREE)	👁️ 2
DALI-2 DT6	📡 3
DALI-2 DT8	DT8 4
DALI +	📡 5
Mounting Type	▱
Pendant	1
Surface	2
Recessed	3
Material Colour	○
Black	● 1
White	○ 2
Grey	● 3

Accessories

Product Order Code	Accessories Name	Accessories Image
1002-01 	LED PCB	
1002-02	Suspension Wire	
1002-03	PMMA Diffuser	
1002-04	Profile Connector	
1002-05 	Profile Endcap	

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K

CRI

>90

Material Colour

Black

White

Grey