

XTO CULTIVATOR

divinity lights



XTO CULTIVATOR LENS



**XTO CULTIVATOR
LENS + DIFFUSER**

Lens

Micro Prismatic
Diffuser



Quick Info

CRI ≥ 90
3000K/ 4000K/ 5700K
Tunable White 2700K-6500K
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI +


SDCM<3
Lens
L70 @ 50,000h
Aluminium

Types


Pendant/ Surface

Single Line Diagram


XTO 20




XTO 25




XTO 30




XTO 35



XTO 40



XTO 45




Colours



Light Distribution


Direct Direct-Indirect




CRI ≥ 90



TUNABLE WHITE



Lens



XTO CULTIVATOR

XTO Cultivator has:

- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- Range of size/angle design solutions
- Modular design concept
- Micro structure & antiglare optical lens design
- Uniform illumination
- UGR less than 9
- Snap fit system with No visible screw
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

XTO CULTIVATOR



XTO CULTIVATOR (DIRECT)

Product Order Code	System Power	Dimensions
1019-1  1	7W	L = 300mm
1019-1  2	14W	L = 600mm
1019-1  3	21W	L = 900mm
1019-1  4	28W	L = 1200mm
1019-1  5	56W	L = 2400mm

XTO CULTIVATOR (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1019-  1	10W	L = 300mm
1019-  2	20W	L = 600mm
1019-  3	30W	L = 900mm
1019-  4	50W	L = 1200mm
1019-  5	100W	L = 2400mm

Order Options

Distribution	
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4
CRI	
>90	1
Beam Angle	
67°	
Control	
ON-OFF	 1
ON-OFF (FLICKER FREE)	 2
DALI-2 DT6	 3
DALI-2 DT8	 4
DALI +	 5
Mounting Type	
Pendant	1
Surface	2
Material Colour	
Black	 1
White	 2
Grey	 3
Reflector Option	
XTO 20 (20mm Lens)	1
XTO 25 (25mm Lens)	2
XTO 30 (30mm Lens)	3
XTO 35 (35mm Lens)	4
XTO 40 (40mm Lens)	5
XTO 45 (45mm Lens)	6
Optics	
Lens	1
Lens + Micro Prismatic Diffuser	2

Accessories

Product Order Code	Accessories Name	Accessories Image
1019-01 	LED PCB	
1019-02	Suspension Wire	
1019-03 	Black + Black Lens	
1019-04 	Black + Silver Lens	
1019-05 	Chrome + Black Lens	
1019-06 	Black + Gold Lens	
1019-07	Micro Prismatic Diffuser	
1019-08	Profile Connector	
1019-09 	Profile Endcap	

Order Options

CCT (Colour Temperature) 	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K 	4
CRI 	
>90	1
Material Colour 	
Black 	1
White 	2
Grey 	3
Reflector Option 	
XTO 20 (20mm Lens)	1
XTO 25 (25mm Lens)	2
XTO 30 (30mm Lens)	3
XTO 35 (35mm Lens)	4
XTO 40 (40mm Lens)	5
XTO 45 (45mm Lens)	6