


**XTREME 245
CURVE**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Micro Prismatic Diffuser



L70 @ 50,000h

Aluminium

Types

Pendant

Single Line Diagram



XTREME 245 CURVE

Xtreme 245 Curve has :


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- High performance Prismatic double diffuser
- Glare control & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Snap-fit system and no visible screw
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct Direct-Indirect



CRI $\geq$ 90



TUNABLE WHITE

XTREME 245 CURVE



XTREME 245 CURVE (DIRECT)

Product Order Code	System Power	Dimensions
1034-1□●●●■○1	25W	L = 600mm W=245mm, H = 41mm
1034-1□●●●■○2	50W	L = 1200mm W=245mm, H = 41mm
1034-1□●●●■○3	100W	L = 2400mm W=245mm, H = 41mm


XTREME 245 CURVE (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1034-▼□●●●■○1	35W	L = 600mm W=245mm, H = 41mm
1034-▼□●●●■○2	65W	L = 1200mm W=245mm, H = 41mm
1034-▼□●●●■○3	130W	L = 2400mm W=245mm, H = 41mm

Order Options

Distribution	▼
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
CCT (Colour Temperature)	●
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4
CRI	●
>90	1
Beam Angle	
110°	
Control	■
ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5
Mounting Type	
Pendant	
Material Colour	○
Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
1034-01 	LED PCB	
1034-02	Suspension Wire	
1034-03	PMMA Diffuser	
1034-04	Micro Prismatic Diffuser	
1034-05	Profile Connector	
1034-06 	Profile Endcap	

Order Options

CCT (Colour Temperature)

- 3000K1
- 4000K2
- 5700K3
- Tunable White 2700K-6500K4

CRI

- >901

Material Colour

- Black1
- White2
- Grey3