


**XTREME 70
ANTIGLARE**

divinity lights



divinity lights

Quick Info

CRI \geq 80/ 90/ 95

3000K/ 4000K/ 5700K/ 6500K

Tunable White 2700K-6500K

Up to 100lm/W

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 / DALI-2 DT8 / D4i / DALI +

POE (Power Over Ethernet)

SDCM<3

Antiglare Reflector

L70 @ 50,000h





Aluminium

Types

Pendant/ Surface

Single Line Diagram

Pendant/ Surface



XTREME 70 ANTIGLARE

Xtreme 70 Antiglare has:


- Luminaire housing of extruded aluminium
- A new concept on Louver Technology with high glare control
- Uniform illumination
- Energy-efficient LED with color rendering
- Visual comfort with panache
- Available in Matt Black, Matt White, Silver & Gun Metal Glossy
- Bottom opening for easy maintenance
- Pendant with cable suspension

Colours



Light Distribution

Direct Direct-Indirect



CRI \geq 80/ 90/ 95



TUNABLE
WHITE

XTREME 70 ANTIGLARE



XTREME 70 ANTIGLARE (DIRECT)

Product Order Code	System Power	Dimensions
1023-1 1	12W	L = 300mm, W=65mm, H = 73mm
1023-1 2	24W	L = 600mm, W=65mm, H = 73mm
1023-1 3	36W	L = 900mm, W=65mm, H = 73mm
1023-1 4	48W	L = 1200mm, W=65mm, H = 73mm
1023-1 5	96W	L = 2400mm, W=65mm, H = 73mm

XTREME 70 ANTIGLARE (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1023- 1	18W	L = 300mm, W=65mm, H = 73mm
1023- 2	36W	L = 600mm, W=65mm, H = 73mm
1023- 3	54W	L = 900mm, W=65mm, H = 73mm
1023- 4	70W	L = 1200mm, W=65mm, H = 73mm
1023- 5	140W	L = 2400mm, W=65mm, H = 73mm

Order Options

Distribution	
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
Lumen Type	
Low	1
High	2
CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
6500K	4
Tunable White 2700K-6500K	5
CRI	
>80	1
>90	2
>95	3
Beam Angle	
110°	
Control	
ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2	3
DALI-2 DT8	4
DALI +	5
D4i	6
POE (Power Over Ethernet)	7
Mounting Type	
Pendant	1
Surface	2
Material Colour	
Black	1
White	2
Grey	3

Accessories


Product Order Code	Accessories Name	Accessories Image
1023-01 <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	LED PCB	
1023-02	Suspension Wire	
1023-03	Matt Black Antiglare	
1023-04	Matt White Antiglare	
1023-05	Silver Antiglare	
1023-06	Gun Metal Glossy Antiglare	
1023-07	Profile Connector	
1023-08 <input type="checkbox"/>	Profile Endcap	

Order Options

Lumen Type

- Low 1
- High 2

CCT (Colour Temperature)

- 3000K 1
- 4000K 2
- 5700K 3
- 6500K 4
- Tunable White 2700K-6500K  5

CRI

- >80 1
- >90 2
- >95 3

Material Colour

- Black 1
- White 2
- Grey 3