


**XTREME DUO
PEGGY ANTIGLARE**

divinity lights



divinity lights

Quick Info

CRI ≥90

3000K/ 4000K/ 5700K

Tunable White 2700-6500K

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens + Antiglare Reflector

L70 @50,000h

Aluminium

Types





Pendant/ Recessed

Single Line Diagram

Pendant/ Recessed Mounted

Profile Code

SY-8001




XTREME DUO PEGGY ANTIGLARE

Xtreme Duo Peggy Antiglare has :

- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- A new concept on Louver Technology with high glare control
- Available in Matt Black, Matt White, Silver & Gun Metal Glossy
- Uniform illumination
- Visual comfort with panache
- Energy efficient LED with high colour rendering
- Recessed mounted with tech zone
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE WHITE

XTREM DUO PEGGY ANTIGLARE



XTREM DUO PEGGY ANTIGLARE (DIRECT)

System Power	Dimensions
18W	L = 600mm
35W	L = 1200mm
70W	L = 2400mm

XTREM DUO PEGGY ANTIGLARE (DIRECT-INDIRECT)

System Power	Dimensions
25W	L = 600mm
50W	L = 1200mm
100W	L = 2400mm

Order Options

Distribution

- Direct
- Indirect
- Up-50% / Down-50%
- Up-30% / Down-70%
- Up-70% / Down-30%
- Up-20% / Down-80%
- Up-80% / Down-20%

CCT (Color Temperature)

- 3000K
- 4000K
- 5700K
- Tunable 2700K-6500K



CRI

>90

Beam Angle

38.9°

Control

- ON-OFF
- ON-OFF (FLICKER FREE)
- DALI-2 DT6
- DALI-2 DT8
- DALI+

Mounting Type

- Pendent
- Recessed

Material Color

RAL As Per Request

Photometric

LUMINOUS INTENSITY DISTRIBUTION

